SEARCH NOTES FOR EAST, IEEE, INSPEC, IP.COM, AND PROQUEST

SERIAL NUMBER   10519642

EAST SEARCH

EAST: search history attached
Search terms:

radar

(scanning or scan or scanned or scanner) same beam same (azimuth or azimuthal or angular)

signal-strength profile in strength in the azimuthal direction function of the beam azimuth

estimating unit target azimuth causing the signal-strength profile from the signal-strength profile

convex located adjacent to the outermost angle in the scanning angular range.

IEEE SEARCH

Sun, 4 Mar 2007, 1:18:19 PM EST

Recent Search Queries		Results
#1	((radar and (scanning or scan or scanned or scanner) and beam and (azimuth or azimuthal or angular) and convex)<in>metadata)	0
#2	(radar and (scanning or scan or scanned or scanner) and (azimuth or azimuthal or angular) and convex<IN>metadata)	5

No relevant document found.

radar and (scanning or scan or scanned or scanner) and beam and (azimuth or azimuthal or angular) and **convex**

radar and (scanning or scan or scanned or scanner) and (azimuth or azimuthal or angular) and **convex**

INSPEC SEARCH

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	radar AND (scanning OR scan OR scanned OR scanner) AND beam AND (azimuth OR azimuthal OR angular) AND convex	unrestricted	1	show titles
2	INZZ	radar AND (scanning OR scan OR scanned OR scanner) AND (azimuth OR azimuthal OR angular) AND convex	unrestricted	1	

IP.COM SEARCH

Search query: radar and (scanning or scan or scanned or scanner) and beam and (azimuth or azimuthal or angular) and convex

No records matched your search.
Perhaps you should try a less restrictive query.

Search query: Search query: radar and (scanning or scan or scanned or scanner) and beam and (azimuth or azimuthal or angular) and convex

No records matched your search.
Perhaps you should try a less restrictive query.

PROQUEST SEARCH
No documents found for: *(radar and (scanning or scan or scanned or scanner) and beam and (azimuth or azimuthal or angular) and convex)*

No documents found for: *(radar and (scanning or scan or scanned or scanner) and (azimuth or azimuthal or angular) and convex)*

File View Edit Tools Window Help

- Drafts
- Pending
- Active
  - L1: (95942) radar
  - L2: (14575) (scanning or scan or scanned or scanner) same beam same (azimuth or azimutha
  - L3: (375558) convex
  - L4: (3152) 1 and 2
  - L5: (246) 3 and 4
  - L6: (1011329) signal same (power or strength)
  - L7: (181) 5 and 6
  - L8: (128) 7 and @ad<"20020705"
  - L9: (50) (US-20060109168-$ or US-20030086386-$).did. or (US-4386353-$ or US-616
  - L10: (5) 3 and 9
  - L11: (42) Combined citation search 1
  - L12: (28) 11 and @ad<"20020705"
  - L13: (83) nakanishi-motoi.in.
  - L14: (12) nakanishi-motoi.in.
  - L15: (36) ishii-toru.in.
  - L16: (24) 15 not 14
  - L17: (12) nishimura-tetsu.in.
  - L18: (1) (radar and (scanning or scan or scanned or scanner) same beam same (azimuth or a
  - L19: (3365) ((342/70-72) or (342/81-87) or (342/133) or (342/139) or (342/146) or (342
  - L20: (1571) 19 and @ad<"20020705"
  - L32: (281) (WO-9411755-$ or WO-9404941-$ or FR-2694980-$ or EP-582372-$ or D
  - L33: (0) 32 and convex
  - L34: (7) 32 and 2
- Failed
- Saved
- Favorites
- Tagged (14)
- UDC
  - 10519642_results
- Queue
- Trash

Search | List | Browse | Quote | Clear
DBs: US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
Default operator: OR

☑ Highlight all hit terms initially

```
342/70-72
342/81-87
342/133
342/139
342/146
342/147
342/157
342/158
```

Structured form | Custom form | BRS form | IS&R form | Hits | Details | Image | Text | HTML

	Document I	Term Da	Pages	Title	Inventor	Current O	Cu

Hits | Details | Image | HTML

	Search Terms	Total	USPAT	US-PGP UB	EPO	JPO	Derwe
1	342/133	179					
2	342/139	231					
3	342/146	314					
4	342/147	381					
5	342/157	316					
6	342/158	499					
7	342/70	1124					
8	342/71	429					
9	342/72	242					

Hits | Details | Image | Text | HTML

No text available to display

Hits | Details | HTML

Ready

NUM

File View Edit Tools Window Help

- Drafts
- Pending
- Active
  - L1: (95942) radar
  - L2: (14575) (scanning or scan or scanned or scanner) same beam same (azimuth or azimutha
  - L3: (375558) convex
  - L4: (3152) 1 and 2
  - L5: (246) 3 and 4
  - L6: (1011329) signal same (power or strength)
  - L7: (181) 5 and 6
  - L8: (128) 7 and @ad<"20020705"
  - L9: (50) (US-20060109168-$ or US-20030086386-$).did. or (US-4386353-$ or US-616
  - L10: (5) 3 and 9
  - L11: (42) Combined citation search 1
  - L12: (28) 11 and @ad<"20020705"
  - L13: (83) nakanishi-motoi.in.
  - L14: (12) nakanishi-motoi.in.
  - L15: (36) ishii-toru.in.
  - L16: (24) 15 not 14
  - L17: (12) nishimura-tetsu.in.
  - L18: (1) (radar and (scanning or scan or scanned or scanner) same beam same (azimuth or a
  - L19: (3365) ((342/70-72) or (342/81-87) or (342/133) or (342/139) or (342/146) or (342,
  - L20: (1571) 19 and @ad<"20020705"
  - L32: (281) (WO-9411755-$ or WO-9404941-$ or FR-2694980-$ or EP-582372-$ or D
  - L33: (0) 32 and convex
  - L34: (7) 32 and 2
- Failed
- Saved
- Favorites
- Tagged (14)
- UDC
  - 10519642_results
- Queue
- Trash

Search List Browse Interrupt Clear

DBs US-PGPUB

Default operator OR

☑ Plurals
☑ Highlight all hit terms initially

(radar and (scanning or scan or scanned or scanner) same beam same (azimuth or azimuthal or angular) and convex).clm.

Structured form Custom form BRS form IS&R form Hits Details Image Text HTML

#	Document I	Issue Da	Pages	Title	Inventor	Current O	C
1	☑ US 2006010	2006052	13	Radar	Nakanishi;	342/70	34

Hits Details Image HTML

	Search Terms	Total	USPAT	US-PGP UB	EPO	JPO	Derwe
1	ANGULAR	85058					
2	ANGULARS	2					
3	AZIMUTH	6975					
4	AZIMUTHAL	3692					
5	AZIMUTHALS	0					
6	AZIMUTHS	680					
7	BEAM	172186					
8	BEAMS	68327					
9	CONVEX	56627					

Hits Details Image Text HTML

PGPUB-DOCUMENT-NUMBER: 20060109168
PGPUB-FILING-TYPE:
DOCUMENT-IDENTIFIER: US 20060109168 A1
TITLE: Radar
PUBLICATION-DATE: May 25, 2006

INVENTOR-INFORMATION:
NAME   CITY   STATE COUNTRY

Hits Details HTML

Ready

NUM

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	95942	radar	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 12:12
L2	14575	(scanning or scan or scanned or scanner) same beam same (azimuth or azimuthal or angular)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 12:12
L3	375558	convex	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 12:15
L4	3152	1 and 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 12:15
L5	246	3 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 12:16
L6	1011329	signal same (power or strength)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 12:16
L7	181	5 and 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 12:19

L8	128	7 and @ad<"20020705"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 12:43
L9	50	(US-20060109168-$ or US-20030086386-$).did. or (US-4386353-$ or US-6163372-$ or US-4355312-$ or US-5844522-$ or US-5450089-$ or US-5760739-$ or US-4809611-$ or US-5486835-$ or US-5555532-$ or US-5784156-$ or US-6020844-$ or US-6146330-$ or US-6292129-$ or US-6348889-$ or US-6417803-$ or US-6618008-$ or US-6771608-$ or US-5557282-$ or US-5825322-$ or US-5434696-$ or US-5923617-$ or US-4291310-$ or US-4338607-$ or US-4470698-$ or US-4531125-$ or US-4785304-$).did. or (US-4939526-$ or US-5440314-$ or US-5757310-$ or US-5844140-$ or US-5898483-$ or US-5966092-$ or US-6194723-$ or US-3684915-$ or US-3662384-$ or US-3906499-$ or US-3897150-$ or US-3810174-$ or US-3805222-$ or US-3803603-$ or US-4034374-$ or US-4053883-$ or US-4111383-$ or US-4111384-$ or US-4111385-$ or US-4246705-$ or US-4253249-$ or US-4291308-$).did.	US-PGPUB; USPAT	OR	ON	2007/03/04 12:31
L10	5	3 and 9	US-PGPUB; USPAT	OR	ON	2007/03/04 12:31
L11	42	("2422579" | "2991473" | "3226721" | "3312975" | "3775765" | "3949404" | "4045799" | "4072942" | "4173762" | "4314240" | "4331957" | "4616184" | "4698634" | "4890111" | "4996783" | "5172110" | "5202692" | "5307272" | "5448501" | "5452639" | "5467283" | "5680048" | "5869967" | "5926126" | "5955982" | "6031482" | "6216540"). PN. OR ("2003/0210172" | "2006/0109168" | "4338607" | "6621448").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/04 12:35

L12	28	11 and @ad<"20020705"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 13:01
L13	83	nakanishi-motoi.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 12:48
L14	12	nakanishi-motoi.in.	US-PGPUB	OR	ON	2007/03/04 12:50
L15	36	ishii-toru.in.	US-PGPUB	OR	ON	2007/03/04 12:50
L16	24	15 not 14	US-PGPUB	OR	ON	2007/03/04 12:51
L17	12	nishimura-tetsu.in.	US-PGPUB	OR	ON	2007/03/04 12:52
L18	1	(radar and (scanning or scan or scanned or scanner) same beam same (azimuth or azimuthal or angular) and convex).clm.	US-PGPUB	OR	ON	2007/03/04 12:58
L19	3365	((342/70-72) or (342/81-87) or (342/133) or (342/139) or (342/146) or (342/147) or (342/157) or (342/158)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/04 13:01
L20	1571	19 and @ad<"20020705"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/04 13:01

| L32 | 281 | (WO-9411755-$ or WO-9404941-$ or FR-2694980-$ or EP-582372-$ or DE-4220101-$ or FR-2689645-$ or FR-2688892-$ or DE-4206327-$ or EP-555586-$ or DE-4128191-$ or DE-4127892-$ or EP-524771-$ or GB-2257589-$ or DE-4122108-$ or WO-9219980-$ or WO-9209904-$ or EP-487940-$ or WO-9207282-$ or DE-4028603-$ or EP-474440-$ or GB-2246255-$ or FR-2662506-$ or EP-444458-$ or WO-9102382-$ or DE-3843471-$ or EP-363619-$).did. or (EP-341890-$ or EP-323688-$ or EP-308830-$ or EP-306577-$ or DE-3809859-$ or DE-3717050-$ or GB-2195851-$ or DE-3430453-$ or DE-3428465-$ or DE-3414156-$ or DE-3410167-$ or EP-144837-$ or GB-2139035-$ or GB-2137449-$ or GB-2135131-$ or DE-3337135-$ or GB-2115984-$ or GB-2099256-$ or GB-2083966-$ or GB-2073533-$ or EP-34125-$ or GB-2041687-$ or GB-2038132-$).did. or (JP-06214001-$ or JP-06174838-$ or JP-06148317-$ or JP-06123772-$ or JP-06109833-$ or JP-06066930-$ or JP-06059021-$ or JP-05346463-$ or JP-05288829-$ or JP-05249231-$ or JP-05240951-$ or JP-05223930-$ or JP-05223914-$ or JP-05134035-$ or JP-05100025-$ or JP-05100015-$ or JP-05100004-$ or JP-05052945-$ or JP-05052934-$ or JP-04364493-$ or JP-04357485-$ or JP-04301585-$ or JP-04301584-$ or JP-04297884-$ or JP-04296682-$ or JP-04262285-$).did. or (JP-04130288-$ or JP-04128677-$ or JP-04127080-$ or JP-04125485-$ or JP-04105086-$ or JP-04102085-$ or JP-03295484-$ or JP-03293575-$ or JP-03291585-$ or JP-03272488-$ or JP-03259768-$ or JP-03255971-$ or JP-03150486-$ or JP-03138589-$ or JP-03078679-$ or JP-03029879-$ or JP-02248880-$ or JP-02226087-$ or JP-02210285-$ or JP-02193086-$ or JP-02190790-$ or JP-02183191-$ or JP-02183183-$ or JP-02181682-$ or JP-02179489-$ or JP-02165084-$ or JP-02163686-$).did. or (JP-02162285-$ or JP-02156182-$ or JP-02145981-$ or JP-02141688-$ or JP-02116774-$ or JP-02116773-$ or JP-02108988-$ or JP-02099879-$ or JP-02061576-$ or JP-02035386-$ or JP-02028579-$ or JP-02016484-$ or JP-01285000-$ or JP-01269078-$ or | EPO; JPO | OR | ON | 2007/03/04 13:03 |

EAST Search History

L33	0	32 and convex	EPO; JPO	OR	ON	2007/03/04 13:04
L34	7	32 and 2	EPO; JPO	OR	ON	2007/03/04 13:04